

ProviewR

OPEN SOURCE PROCESS CONTROL



Developer's Guide

2011-01-20

Copyright © 2005-2023 SSAB EMEA AB

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

Table of Contents

About this manual	5
Introduction.....	6
Source code.....	7
Fetch the source code.....	7
Tarball.....	7
Git repository.....	7
Source code tree.....	7
Modules.....	7
Kernel modules.....	7
Other modules.....	8
abb, siemens, ssabox, inor, kloeknermoeller, telemecanique.....	8
Types.....	9
Components.....	9
Exe.....	9
Lib.....	10
Wbl.....	10
Msg.....	10
Exp.....	11
Mmi.....	11
Jpwr.....	11
Doc.....	11
Tools.....	11
Overview.....	11
Flavor.....	11
Gtk/qt.....	12
Language.....	12
Build tree.....	13
Module.....	13
Exe.....	13
Lib.....	13
Obj.....	14
Load.....	14
Inc.....	14
Doc.....	14
Exp.....	14
Bld.....	14
Build.....	16
Preparation.....	16
Pwre.....	17
Create directories in the build tree.....	18
Configure.....	18
Complete build.....	18
Build a component.....	18
Phase.....	19
Method dependent exe components.....	20
Build installation packages.....	20
Build new version.....	21

Projects.....	21
Demo project.....	21
Project pwrtest01.....	22
Project pwrtest02.....	22
Project pwrtest03.....	23
Docker build and test chain.....	23
Build with an import root.....	26
Build for embedded platforms.....	27
Configure an embedded project.....	28
Build operator environment only.....	29
Appendix A	30
Component overview.....	30
Module rt.....	30
Module Xt.....	32
Module Wb.....	32
Module Remote.....	32
Module Nm.....	33
Module Profibus.....	33
Module Opc.....	34
Module Java.....	34
Module Otherio.....	34
Module Bcomp.....	34
Module Othermanu.....	35
Modules ABB, Siemens, Inor etc.....	35

About this manual

ProviewR Developer's Guide describes the structure of the ProviewR source code and how to build the source.

The intended audience for this manual are persons that wants to build ProviewR from sources, on a specific platform, or to make changes and additions to the functionality.

Introduction

The structure of the Proview source code tree is made to be able to build on different hardware and on different operating systems. The original design was made for VAXELN on VAX, OpenVMS on VAX and Alpha, and LynxOS on x86 and PowerPC. All these platforms are now cut out and replaced by Linux on x86 and x86_64.

The ProviewR source code is quite extensive, it contains about 800 000 lines, the most part in c and c++, but also some java. In addition there are a number of other types of files for documentation, help texts, class and object descriptions, object graphs, shellscripts etc.

To build ProviewR, implies that you from the source code tree creates build tree, where the result of the building is placed. Parts of the build tree is then included in installation packages for development, process, operator and storage stations.

The building is performed by a script, pwre, that calls a set of make files with general rules of how to treat different types of files.

This guide is about how the source code is constructed, and how you use pwre to build it.

Source code

Fetch the source code

The source code is available on SourceForge as a tarball, and from a git repository.

Tarball

Download the tarball, for example `pwrsrc_6.1.0-1.tar.gz`. Unpack it with the command

```
tar -xzvf pwrsrc_6.1.0-1.tar.gz
```

Git repository

To download, or clone, a git repository, you first have to install git (git-core). Download the code with the 'git clone' command, see the ProviewR homepage for more information (Development, Git Repository).

Source code tree

The source code tree consists of at most 4 levels. The environment variable `$pwre_croot` points at the root, and the different levels are

```
$pwre_croot/module/type/component/flavor
```

One example is

```
$pwre_croot/profibus/lib/rt/src
```

from which we can read that the module is `profibus`, i.e. a field bus. The type is `lib` (library), that will create an archive. The component is `rt`, which will compose the archive name to `libpwr_rt.a` that contains modules for runtime. On the directory `SRC` is placed source code for the archive that is common for all operative systems and hardware.

Modules

The source code tree is divided in modules. These are located as directories beneath the root directory. The modules consist of three kernel modules, `rt`, `xtt` and `wb`, that are essential for building a runnable system. They are also mutually dependent on each other.

Kernel modules

<i>Module</i>	<i>Description</i>
rt	rt signifies RunTime, and are for historical reasons located under the directory <code>src</code> . It contains all the basic functions in the runtime environment, e.g. the realtime database, communication programs (qcom, nethandler, subscriptions), plc, event handling, backup, system and base classes. In <code>rt</code> is also located most of the documentation, and

	tools for building ProviewR.
xtt	Xtt is located under the directory xtt, and contains code for the graphical interface for the operator environment, and graphical components for the plc editor and drawing of process graphs.
wb	Wb, WorkBench, contains code for the development environment, i.e. the development database, the configurator, the plc editor, the class editor etc.

Other modules

Module	Description
remote	Code for communication over a number of different protocols: 3964R, Modbus, MQ, RK512, TCPIP, UDPIP, ALCM and serial.
rmps	A simple material handling system.
profibus	I/O handling with the fieldbusses Profibus and Profinet.
opc	Communication with other process control equipment over the OPC XML/DA protocol.
java	Java interface to the realtime database, process graphs and web interface etc.
otherio	I/O systems that doesn't have it's own module, e.g. Modbus/TCP, Motion Control USB I/O.
bcomp	BaseComponent. A set of component and aggregate classes for different types of valves, pumps, fans, motors, frequency converters, contactors, circuit breakers etc.
project	Contains the demo project and a number of projects for regression tests.
test	Test utilites.
misc	Miscellaneous features.
dataq	Data queues module.
simul	Functions for simulation.
othermanu	Component classes for manufacturers that doesn't have a specific module.
abb, siemens, ssabox, inor, klocknermoeller, telemecanique	Modules that contains classes for components and I/O units for a specific manufacturer.

Types

The level below the module is called type, and denotes what type of component that is generated, for example if it is an archive, and executable, a classvolume. The type can be exe, lib, wbl, msg, exp, mmi, doc or tools.

<i>Type</i>	<i>Description</i>
exe	Exe is for executable and each component below the exe directory generates an exe-file, i.e. an executable program that is placed in \$pwr_exe in the build tree.
lib	Lib is for library, and each component below the lib directory, generates an archive with the name lib_pwr'component'.a, that is placed in \$pwr_lib in the build tree.
wbl	Wbl is for workbench loadfiles, that is files for description of object, usually class definition objects describing classes. The objects in a component below wbl constitutes a volume, and each component generates a dbs-file on \$pwr_load.
msg	Msg is for message and contains files for status codes (.msg). The division in components corresponds to the archives.
exp	Exp is for export, and contains source code that doesn't fit elsewhere.
mmi	Mmi is equivalent to hmi, and contains files concerning the user interface, e.g. language dependent files and various picture files, object graphs and subgraphs.
jpwr	A type in the java module, where each component generates a java archive, named pwr_'component'.jar, placed on \$pwr_lib.
doc	Documentation, help texts etc.
tools	A type in the rt module that contains various files for building and maintenance of the source code.

Components

The component level normally constitutes a specific unit, that is generated by the code in the directories below the component level. Both source code files and build files are found there. The component level can also be used as an hierarchy to collect files of similar nature.

Exe

For components of type exe, an executable program with a name that equals the component name, is created. For example \$pwr_croot/src/exe/rt_ini contains code and build files for the program \$pwr_exe/rt_ini. Below the komponent directory, there are a src directory containing a number of c-files, rt_ini.c, ini.c, ini_rc.c and ini_loader.c, and some includefiles. rt_ini.c, that is the file with the same name as the component name, contains the main function. The other c-files are compiled and linked with the program.

In the src directory also link_rule.mk is located, that contains the link command for the program. In case the build requires a specific makefile this is also located here, otherwise a generic makefile is used.

Lib

Lib components contains c and c++ files that are compiled and inserted into an archive. If we look closer to the archive \$pwre_croot/src/lib/rt, that contains functions for ProviewR runtime, the main part of the code is located in rt/src. The c-files are compiled and inserted into the archive \$pwr_lib/libpwr_rt.a, and the include files are copied to \$pwr_inc.

Wbl

A wbl-component contains wb_load-files with object descriptions. These description generates a volume containing object. Usually the generated volume is a class volume, but there are also some examples of other types of volumes, a SharedVolume (rt) and a WorkbenchVolume (wb). From the wb_load-files a dbs-file is generated on \$pwr_load, and an h-file containing c structures for the classes, and an hpp-file containing c++ classes. Furthermore are help files and postscript-files for documentation in Object Reference Manual generated.

If we look closer at \$pwre_croot/wbl/pwrb, that contains the ProviewR baseclasses in the classvolume pwrb. In the pwrb/src catalog, one wb_load file for each class in the volume are located, for example pwrb_c_and.wb_load for the class And. There are also wb_load files for type definitions, e.g. pwrb_td_yesnoenum.wb_load that is an enumeration type for yes/no. In pwrb/src/os_linux/hw_x86 there is a makefile that generates the dbs-file \$pwr_load/pwrb.dbs and the include-files \$pwr_inc/pwr_baseclasses.h and \$pwr_inc/pwr_baseclasses.hpp. Also the help-files \$pwr_exe/en_us/pwrb_xtthelp.dat and \$pwr_exe/sv_se/pwrb_xtthelp.dat in english and swedish are generated. In \$pwr_doc/en_us/orm and \$pwr_doc/sv_se/orm a set of html-files are placed for the Object Reference Manual, and on \$pwr_doc a postscript version of Object Reference Manual.

Another model of volume component is \$pwre_croot/bcomp/wbl/bcomp. It contains only one wb_load-file, basecomponent.wb_load, containing all types and classes in the volume Basecomponent. The volume is edited by starting the class editor with the command

```
> wblstart.sh basecomponent
```

Otherwise the build is performed similar to the pwrb volume.

Msg

A msg component consist of a number of msg-files that contains status codes. A status code constitutes of an integer value that can be translated to a single line text. The integer values are defined by a #define state in an include file and can be used in the c code, and the texts are compiled to object modules that is linked to the program, which makes it possible to translate the status code to the text. For example GDH__FILE can be translated to "No such file". The status codes have five severity levels, success, info, warning, error and fatal, that are associated with the colors green, green, yellow, red and flashing red. The status codes are used, among other things to indicate status of server processes and applications i ProviewR. It is also used for return status in c-functions.

If we take a look at the message component \$pwre_sroot/msg/rt, it contains msg-files used in the lib component rt. For the message file rt/src/rt_gdh_msg.msg, the include-file \$pwr_inc/rt_gdh_msg.h is generated. Furthermore the file \$pwr_obj/pwr_msg_rt.o is generated, containing the texts for all the message-files in the rt component. When a program links with this o-file, it is able to translate the status codes to texts.

Exp

Exp contains various files that doesn't fit in any other component. Under exp/inc include-files are

located that is copied to \$pwr_inc, and under exp/com command and script-files are located, that are copied to \$pwr_exe etc.

Mmi

Mmi contains files for the user interface, for example pwg and pwsg files for object graphs and subgraphs. Some language specific files are also found here, see the translation chapter below.

When a mmi-component is built, object graphs and subgraphs are copied to \$pwr_exe.

Jpwr

A jpwr-component contains a number of java files that are compiled and inserted into a java archive.

If we take a closer look at the component \$pwre_croot/java/jpwr/rt, all the java-files are located in rt/src. While java is independent of platform there is no need to place any java-files on the platform directories below rt/src. When building the component, the java-files are compiled to class-files that is placed in the java archive \$pwr_lib/pwr_rt.jar.

jpwr/rt is a java interface to ProviewR runtime, to communicate over qcom, fetch data from the realtime database, handle events and alarms etc. To call the c-functions for these modules, java native is used. The c-code for the native classes is located in java/exe/jpwr_rt_gdh that generates the so-file \$pwr_exe/pwr_rt_gdh.so.

Doc

Below doc there is a number of directories to generate ProviewR documentation. doc/man contains manuals, where for example English versions are placed in doc/man/en_us and Swedish on doc/man/sv_se. Common picture files are placed in doc/man/src.

On doc/orf files for Object Reference Manual, are located, mainly picture files as the text reside in the wbl components. In doc/web are menus and frames for the documentation page.

Tools

Tool components only exists in the rt module, \$pwre_croot/src/tools, and contains different tools to build a ProviewR release. Below tools/exe there are various exe files, for example to convert msg-files. In tools/bld generic makefiles are located, in tools/pkg build files for installation packages and in tools/pwre the script to build a ProviewR release, pwre.

Overview

Appendix A contains an overview of the component of the various modules.

Flavor

The level below component is denoted flavor. Normally this is a src-directory containing the source code for the component, but in some cases the src-directory is divided in directories for different windowing systems (qt or gtk), or different languages.

Gtk/qt

Originally the the window interface was developed for Motif on OpenVMS, but from V4.3 gtk was implemented parallel to Motif. The design makes the different interfaces independent of each other,

and it is possible to only build for one of them. It is also fairly easy to implement other windowing systems. Later a beta version of qt was added while motif was removed.

This division in qt and gtk is found in the exe and lib components.

On the lib-components there is a base class with common code in the src catalog. In the gtk and qt catalog, resides a subclass with code that is specific for gtk or qt. If we look at \$pwre_croot/xtt/lib/xtt, that contains code for the operator environment, on the src-catalog the files xtt_op.cpp is located, containing the class XttOp. On the gtk-catalog the file xtt_op_gtk.cpp is found, containing the class XttOpGtk, a subclass to XttOp, and on in the qt catalog, the file xtt_op_qt.cpp is found with the class XttOpQt, also a subclass to XttOp.

In the exe component, there is a corresponding division. From the src catalog a generic exe-file is generated, that starts the gtk or qt version dependent on the option -f. The gtk catalog generates the exe-file \$pwr_exe/rt_xtt_gtk and the qt-catalog \$pwr_exe/rt_xtt_qt. If rt_xtt is started with -f gtk, the gtk-version is started, and with -f qt the qt-version is started. In the gtk directory there is a build file, link_rule.mk, that contains the link command to build the gtk version. Corresponding catalogs are found below the qt directory.

Language

The flavor level is also used to divide into different language versions. One example is \$pwre_croot/xtt/mmi/xtt that has the directories src, en_us, sv_se, de_de and fr_fr. The catalogs contains language specific files for texts in menus, windows and object graphs for English, Swedish, German and French. When building, the files in the catalog xtt/en_us are copied to the catalog \$pwr_exe/en_us, and the files in xtt/sv_se to \$pwr_exe/sv_se etc. When the operator environment is started with a specific language, the translation files are fetched from the corresponding catalog below \$pwr_exe.

Build tree

The build tree is a hierarchy of catalogs created when building a ProviewR release. Here the result of the building is placed, i.e. the exe-files, archives, graphs etc that is necessary to configure and run a ProviewR system. Chosen parts of the build tree are collected into installation packages for development, process, operator and storage stations, but it is also possible to link project directly to the build tree.

The build tree consists of 5 levels. The environment variable `$pwre_broot` points to the root of the build tree, and below this there is one level for operating system, and below this further on for hardware, e.g.

```
$pwre_broot/os_linux/hw_x86
```

On the next level there is one directory for each module, where the components of the module are stored. There is also an `exp` directory where the module directories are merged together to a common distribution. Finally there is also a `bld` directory containing build-files of temporary nature, that are needed for the building, but not required in the distribution.

Behind the design of separate module directories is the idea that modules can have separate installation packages and that a ProviewR installation in this way could be more scalable. This is though not yet implemented in any module.

Module

Every module has its own catalog structure in the build tree, where files that is to be included in the distribution is stored. For example, the catalogs for the `rt` module is found under

```
$pwre_broot/os_linux/hw_x86/rt
```

Below this catalog the catalogs `exe`, `lib`, `obj`, `load`, `inc`, `doc`, `db` and `cnf` are located. A corresponding catalog structure is also found for the other modules, and for the `exp` catalog.

Exe

On the `exe` catalog, `exe`-files that are created when linking an `exe`-component, is placed, e.g. `rt_ini` that is generated from the `exe` component `$pwre_croot/src/exe/rt_ini`.

Other files that are copied to the `exe`-catalog are shell scripts, object graphs, subgraphs etc.

The `exe` catalog has language dependent subdirectories, e.g. `en_us`, `sv_se` and `de_de`, for English, Swedish and German. Here resides also helptext files and translation files for different languages.

Lib

On the `lib` catalog resides archives generated when building a `lib` component, e.g. `libpwr_rt.a` that is generated by the `lib` component `$pwre_croot/src/lib/rt`. Also java archives generated by `jpwr` components are placed in `lib`, e.g. `pwr_rt.jar`.

Obj

On the obj catalog various o-files are found, generated when compiling c and c++ files.

Load

The load catalog contains loadfiles generated by wbl components, for example pwr.sdb, generated by the wbl-component \$pwre_croot/src/wbl/pwr, that contains the classvolume pwr with system classes. On load you will also find flw-files, copied from wbl-components, that are used by plc-trace.

Inc

The inc catalog contains include files from lib components, and include files that are generated from wbl components with c-structs and c++ classes for classvolumes, e.g. pwr_abbclasses.h and pwr_abbclasses.hpp.

Doc

The doc catalog contains the complete documentation for a ProviewR release. Note that all modules uses the doc catalog below exp, and that the doc catalogs in the modules are not used. Doc contains language dependent subdirectories, en_us and sv_se, where the language specific files are found. If we take a look at en_us, we find the documentation homepage, index.html that is copied from \$pwre_croot/src/doc/web/en_us. We also find manuals in pdf and html format generated from \$pwre_croot/src/doc/man/en_us. On the subdirectory orm resides the Object Reference Manual that mainly is generated from the wbl components for the classvolumes. The catalog doc/prm contains Programmer's Reference Manual, generated from the lib/rt and lib/co components by doxygen.

Exp

Beside the module directories in the build tree, you find the exp directory, that is a merge of the different modules, and that constitutes a ProviewR distribution. Exp is for export, and it is this part of the build tree that is exported in a complete ProviewR release. The exp catalog contains a similar catalog structure as each module catalog, you will find the subdirectories exp, lib, load, inc etc. When merging the modules to the exp directories the content of a module is basically copied to the exp catalog. But there are some cases where a simple copy is not enough. Some lib-components are represented in several modules, rt and wb, and here the archives are merged to a common archive, exp/lib/libpwr_rt.a and exp/lib/libpwr_wb.a. Some exe-files contains methods for, for example I/O handling and popup menus in the operator and development environment, that derives from different modules, and these have to be linked in a certain way to embrace all the methods. This goes for the exe-components \$pwre_croot/wb/exe/wb, \$pwre_croot/xtt/exe/rt_xtt and \$pwre_croot/exe/rt_io_comm.

It is possible to link projects to the release on the exp-catalog, where you can run both the development, runtime, operator and storage environment. You then define the exp-catalog as a version under Base in the ProjectList and attach the projects to this version.

Bld

Beside the exp and module catalogs in the build tree, a bld catalog is located. This contains files that are used at the build, but don't need to be included in the release. The subdirectories reflect the different components and are common for all modules.

Below bld/lib there are catalogs for all lib components, e.g. bld/lib/rt. Here o-files are located, generated at compilation of c and c++ files, before they are inserted into archives. You will also find some .d files which are dependency files for the c-files.

Below bld/exe there are catalogs for all exe components, e.g bld/exe/rt_ini. Here you will find o-files, that are linked to exe-files, and d-files with include file dependencies.

Below bld/jpwr there are catalogs for jpwr components, e.g. bld/jpwr/rt. Class-files, generated at the java compilation, are located here, before they are inserted into java archives.

Below bld/msg here are catalogs for msg components. The msg-files contains the text for different status codes. Below bld/wbl resides dependency files for wbl components.

In bld/pkg the installation packages for pwr47, pwr47rt, pwr47sev and pwr47demo, are placed. These are built from pkg components below tools/pkg where the build files for installation packages are located.

Build

Building ProviewR implies to, from the source code tree, generate a build tree and a ProviewR release the programs, archives, loadfiles, manuals etc. that are needed to install and run development, process, operator and storage stations.

The build is executed with the pwre command. First you create a build environment, by stating the root of the source tree and build tree. The environment is stored in a file, in which you can store several different environments. In this way its easy to attach to an environment, and to shift between different environments.

Normally you build a complete release, but it is also possible to build only the runtime code, i.e. the rt module, or the runtime and HMI code, i.e. the modules rt and xtt. In this case though, some platforms independent files has to be imported from a complete release, by defining an import root.

Pwre is located in the source tree in the catalog \$pwre_croot/tools/pwre. On linux, pwre is a perl script, pwre.pl, located on the subdirectory src/os_linux.

Preparation

For a complete build these packages has to be installed:

```
libgtk-3-dev
doxygen
gcc
g++
make
libasound2-dev
libdb5.3-dev
libdb5.3++-dev
openjdk-11-jdk
default-libmysqlclient-dev
libsqlite3-dev
libhdf5-openmpi-dev
librabbitmq-dev
libmosquitto-dev
libusb-1.0.0-dev
librsvg2-dev
libgstreamer1.0-dev
libgstreamer-plugins-base1.0-dev
libpython3-dev
python3
libcap-dev
```

java: Define the environment variable jdk to the current java installation.

```
export jdk=/usr/lib/jvm/java-11-openjdk-amd64
```


There has to be a valid display when building ProviewR.

Pwre

Before starting pwre, two env variables has to be defined. One that points to the catalog of the pwre script, \$pwre_bin, and one that states the name of the file where the environments are stored, \$pwre_env_db. You also have to execute a setup script, \$pwre_bin/pwre_function. In the example below, the source code is located in /data0/x6-1-0/pwr and the database is placed on the home directory.

```
> export pwre_env_db=~/.pwre_env_db
> export pwre_bin=/data0/x6-1-0/pwr/src/tools/pwre/src
> source $pwre_bin/pwre_function
```

You then create the directory where the build tree is to be placed, in this example /data0/x4-6-1/rls.

```
> mkdir /data0/x4-6-1/rls
```

Now we can create the environment named x610

```
> pwre add x610
Source root [] ? /data0/x6-1-0/pwr/src
Import root [] ?
Build root [] ? /data0/x6-1-0/rls
Build type [dbg] ?
OS [linux] ?
Hardware [x86_64] ?
Description [] ? Version V6.1.0
```

Note that in 'Source root' the root of the rt-module is stated, not the actual source root which is /data0/x6-1-0/pwr.

The command 'pwre list' shows stored environments.

```
> pwre list
-- Defined environments:
x610                Version V6.1.0
```

With the command 'pwre init' you attach an environment, that is you define a number of env variables that point to the source tree and the build tree. This has to be done in every session where you work with the environment.

```
> pwre init x610
```

Here are some usable env variables that is defined

\$pwre_croot	The source root (/data0/x6-1-0/pwr)
\$pwre_sroot	The source root for the current module
\$pwre_broot	The build root (/data0/x6-1-0/rls).

\$pwr_exe	The common exe directory in the build tree (\$pwre_broot/os_linux/hw_x86/exp/exe).
\$pwre_elib	The common lib directory in the build tree (\$pwre_broot/os_linux/hw_x86/exp/lib)
\$pwr_exe	The exe directory for the current module.
\$pwr_lib	The lib directory for the current module.

Create directories in the build tree

The next step is to create all the directories of the build tree

```
> pwre create all
```

Configure

`pwre create_all_modules` calls a configure function that examines the environment and creates a file configuration file `$pwre_broot/pwre_'platform'.cnf` to adapt the build to the current installation. If you install additional packages you should run the configure function again to update the configuration file.

```
> pwre configure
```

Complete build

This command build all modules, i.e. perform a complete build of ProviewR.

```
> pwre build all
```

By default this command will build for flavor `gtk`, if you want to build for `qt` instead, `qt` is added as argument

```
> pwre build all qt
```

Build a component

When working with development of a part of ProviewR, you often make changes that affects one or a couple of components. To build an individual component you first have to set up the module.

```
> pwre module 'module'
```

You then build the component with the command

```
> pwre build 'type' 'component' 'flavor'
```

When the building is performed, the result is stored in the build tree for the current module. This now has to be merged with the `exp` directory in the build tree

```
> pwre merge
```

Example

If a modification is made in `lib/wb/src` in the `wb` module, the command is:

```
> pwre module wb
```

```
> pwre build lib wb src
> pwre merge
```

Phase

The build is divided in four phases: init, copy, lib and exe.

The basic idea is that the init phase creates directories and archives needed for the build, the copy phase copies include files and other files, the lib phase compiles c, c++ and java files, and finally the exe phase links the exe files. This goes for lib and exe components, for other components the phases are use somewhat different.

The phase can be specified in the pwre command when building a component as the fifth argument, for example

```
> pwre build lib wb src copy
```

where the last copy is the phase. If the phase is left out, all four phases are executed.

Below follows a description of what is executed in the phases for different components.

<i>Type</i>	<i>Phase</i>	<i>Description</i>
lib	init	Creates a build directory with the component name in the bld/lib directory in the build tree.
	copy	Converts pdr and xdr files to h files, and copies h and hpp files to \$pwr_einc.
	lib	Compiles all c and cpp files that has the component name as prefix. The resultant object modules are store in the build directory. Creates an archive on \$pwr_elib and inserts the object modules.
	exe	-
exe	init	Creates a build directory with the component name in the bld/exe directory in the build tree.
	copy	Copies all h and hpp files with the component name as prefix to \$pwr_einc.
	lib	Compiles all c and cpp files. The resultant object modules are store in the build directory.
	exe	Links with the link command defined in the link_rule.mk file. Places the resultant executable on \$pwr_eexe.
wbl	init	-
	copy	Create includfiles with c structs and c++ classes for all classes in the volume. These files pwr_'volume'classes.h and pwr_'volume'classes.hpp are placed on \$pwr_einc. Also copies pwg and pwsg files to \$pwr_eexe and flw files to \$pwr_eoad.
	lib	Creates a dbs file on \$pwr_eoad, 'volume'.dbs.
	exe	Creates documentation for the volume, help-files, html-files, postscript and pdf-files.
msg	init	Creates a build directory with the component name in the bld/msg directory in the build tree.
	copy	Generates h-files for the status codes on \$pwr_einc, and c-files (cmsg) with the text on the build directory.

	lib	Compiles the cmsg files.
	exe	-
exp	init	-
	copy	Copies different files, h, hpp, pwg, sh, pwr_com etc.
	lib	Compiles c and cpp files.
	exe	-
mmi	init	-
	copy	Copies pwg, pwsg and png files to \$pwr_eexe. Compiles uil-files to uid-files on \$pwr_eexe.
	lib	-
	exe	-
jpwr	init	Creates a build directory with the component name in the bld/jpwr directory in the build tree.
	copy	-
	lib	Compiles java files to class-files on the build directory. Creates a java archive on \$pwr_elib and inserts classes and gif-files.
	exe	-

Method dependent exe components

There are three components that has to be built with a special command to bring forward various types of methods at the build. This concerns wb/exe/wb, xtt/exe/rt_xtt and src/exe/rt_io_comm. Those are built with the command 'pwre method_build'.

```
> pwre method_build wb gtk
> pwre method_build rt_xtt gtk
> pwre method_build rt_io_comm
```

Build installation packages

There are a number of different packages that can be built, and for version 6.1.0 the packages are

pwr61	Development package installed on development stations.
pwrprt	Runtime package installed on process, operator and storage stations.
pwrdemo61	Demo project that can be installed on development stations.
pwrppi61	Development package for development of 32-bit Raspberry Pi nodes on Debian or Ubuntu. Installed on development stations.
pwrppi6164	Development package for development of 64-bit Raspberry Pi nodes on Debian or Ubuntu, Installed on development stations.

The files for package building is found under src/tools/pkg. Under this directory there are directories for different available platforms and then directories for the different packages. Under this directory

the files are dependent on the packaging system for the platform. The current platforms Debian, Ubuntu and RaspberrypiOS all uses dpkg.

Let's take a closer look at the pwrvt packages for Debian on x86_64. The source directory is `src/tools/pkg/deb_x86_64/pwrvt`. The description file for the package is `control`. It contains the version number, dependencies of other packages, and description of the package. When a new version is set the command to build the package is

```
> pwre build tools/pkg deb_x86_64 src
```

The package is created on `$pwre_broot/os_linux/hw_x86_64/bld/pkg`.

Build new version

The version number is of the format V1.2.3-4, with the meaning

- 1: Universal release. This is really big changes that hardly ever happens any more, so it's usually incremented when the next lever reaches 10.
- 2: Major release. When new version of the Linux release is required, or when larger modifications in the classes are made.
- 3: Minor release. Changes of classes and functionality.
- 4: Bugfix release. Bug fixes or minor additions and improvements. No changes in classes.

A new bugfix release only needs a new version number with description in the control file. For other release the following step is required.

1. Enter a new version and date in `src/exp/inc/src/pwr_version.h`.
2. Change versions in html-files in `src/doc/web/en_us` and `src/doc/web/sv_se`.
3. Change versions in odt-files and dat-files in `src/doc/man/en_us` and `src/doc/man/sv_se`.
4. Change version in `src/doc/prm/src/Doxyfile`.
5. If there is a new year since last version, change copyright year with script, see `src/tools/com/src/README`.
6. Set loadfiles date with `'pwre configure -- version "29-MAY-2011 16:00:00"'`. It is important to set a common loadfiles date, otherwise there could be problems with cross compiled nodes, and communications between nodes with releases built on different platforms.

Projects

Projects are not built with the 'pwre build' all command but has to be build manually when required.

Demo project

The demo project is found in `project/pwrdemo` that only contains the src part of the project tree. When built the bld part of the project tree is created in `$pwre_broot/os_linux/hw_x86_64/bld/project/pwrdemo/bld`.

The build command is

```
> pwre module project
> pwre build pwrdemo build src
```

Before a new build, the bld tree has to be cleaned with

```
> pwre build pwrdemo build src clean
```

To start the project, the setup script first has to be executed

```
> cd $pwre_sroot/pwrdemo
> source demo_setup.sh
> export PWR_BUS_ID=999
> rt_ini &
> rt_xtt op
```

Project pwrtest01

Pwrtest01 is a project with regression tests for the runtime environment.

The project is found in project/pwrtest01 that only contains the src part of the project tree. When built the bld part of the project tree is created in

```
$pwre_broot/os_linux/hw_x86_64/bld/project/pwrtest01/bld.
```

The build command is

```
> pwre module project
> pwre build pwrtest01 build src
```

Before a new build, the bld tree has to be cleaned with

```
> pwre build pwrtest01 build src clean
```

The project contains several nodes that performs different tests.

pwrtest01a and pwrtest01b	Communications tests.
pwrtest01c	Runtime tests of plc and different APIs.
pwrtest01d	Storage environment with mariadb.
pwrtest01e	Storage environment with sqlite, and cloned volumes.
pwrtest01f	Remote and IO tests.

To start a node in the project, execute the setup script first, and the start rt_ini with the nodename qualifier.

```
> cd $pwre_sroot/pwrtest01
> source test01_setup.sh
> export PWR_BUS_ID=999
> rt_ini -n pwrtest01c &
```

Project pwrtest02

Pwrtest02 is a project with tests for the development environment.

The project is found in project/pwrtest02 that only contains the src part of the project tree. When built the bld part of the project tree is created in

\$pwre_broot/os_linux/hw_x86_64/bld/project/pwrtest02/bld.

The build command is

```
> pwre module project
> pwre build pwrtest02 build src
```

Before a new build, the bld tree has to be cleaned with

```
> pwre build pwrtest02 build src clean
```

The project is created by different scripts from scratch, configured and build, and contains test programs for different APIs.

To start the a node in the project, execute the setup script first, and the start `rt_ini`.

```
> cd $pwre_sroot/pwrtest02
> source test02_setup.sh
> export PWR_BUS_ID=999
> rt_ini &
```

Project pwrtest03

pwrtest03 contains a set of graphs and images for interactive and ocular tests.

The build command is

```
> pwre module project
> pwre build pwrtest03 build src
```

Before a new build, the bld tree has to be cleaned with

```
> pwre build pwrtest03 build src clean
```

To start the node in the project, execute the setup script first, and the start `rt_ini` with the nodename qualifier.

```
> cd $pwre_sroot/pwrtest03
> source test03_setup.sh
> export PWR_BUS_ID=999
> rt_ini -n pwrtest03a &
> rt_xtt op
```

To perform the test tests, open the graph and go through the images. For the first images, the upper row should look equal with the lower.

<image>

For dynamics tests, the right square displays the status of the signals in priority order, and the left square the result of the dynamics.

<image>

Docker build and test chain

The Docker build and test chain contains docker files and scripts to build ProviewR with packages and test projects, start containers with test nodes to execute the test programs. The result is a set of

log-files with test results, and the installation packages for the release.

The files reside in src/tools/docker. The build and test sequence is divided in steps, where each step can be executed individually.

- Step 5 test the demo project. It installs the demo package on the development image and checks that it's possible to start the demo project.
- Step 1 will create a docker image with the desired Linux release and all required packages installed.
- Step 2 will create a container from the build image, clone the ProviewR source code from a git repository, and build all, inclusive demo project, test projects and installation packages. The result of the build is the installation packages, distribution packages for the test projects, and a set of log files.
- Step 3 will create a docker image with the ProviewR development package installed.
- Step 4 will create a docker image with the ProviewR runtime package installed.
- Step 6 executes the runtime tests for the node pwrtest01c. The distribution package for pwrtest01c is installed on the runtime image, and the runtime tests for the node is executed.
- Step 7 executes the tests for pwrtest02. A container is created from the development image, and the pwrtest02 project is created, configured and started in the development environment.
- Step 8 starts two docker containers with the nodes pwrtest01a and pwrtest01b, and performs network tests between the nodes.
- Step 9 starts pwrtest01d with sev tests for mariadb.
- Step 10 starts pwrtest01e with sev tests for sqlite and hdf5, and also tests the volume clone function.
- Step 11 starts pwrtest01f with remote and IO tests.

There are also two steps for interactive and ocular tests

- Step 12 starts pwrtest03a with operator test images.
- Step 13 will start the demo project for interactive test.

To perform the build and tests do the following.


- Copy the src/tools/docker tree to a location outside the source tree.
- If you use a local git repository, make sure the web server is configured to allow http access to the git repository, and also update the repository for remote access (git update-server-info).
- If a new version should be built, edit the script file for the desired release, test_all_deb.sh, test_all_ubu.sh or test_all_rpi.sh and modify gitrepo, release, buildversion, ver and sver.
- Create log, pkg and data directories under the docker directory.
- Execute the script file with start end step, eg ./test_all_deb.sh 1 11.

Step	Description	Result
1	Create build image.	Docker image, eg pwrbuild_deb.
2	Build ProviewR.	Installation packages in pkg/ and project distributions packages in data/, eg

		<p>pkg/pwr60_6.0.0-1_amd64.deb pkg/pwrrpi60_6.0.0-1_amd64.deb pkg/pwrdemo60_6.0.0-1_amd64.deb pkg/pwrrt_6.0.0-1_amd64.deb data/pwrp_pkg_pwrtest01a_0001.tgz data/pwrp_pkg_pwrtest01e_0001.tgz data/pwrp_pkg_pwrtest01b_0001.tgz data/pwrp_pkg_pwrtest01f_0001.tgz data/pwrp_pkg_pwrtest01c_0001.tgz data/pwrp_pkg_pwrtest03a_0001.tgz data/pwrp_pkg_pwrtest01d_0001.tgz data/pwrtest02.tar.gz log/build.tlog</p>
3	Create pwrdev image	Docker image with the pwr development package installed, eg pwrdev_deb
4	Create pwrrt image	Docker image with the pwrrt package installed, eg pwrrt_deb
5	Demo project test	Log file log/pwrdemo_status.tlog
6	Runtime test	Log files log/time.tlog log/plc.tlog log/nettime.tlog log/gdh.tlog log/errh.tlog log/cdh.tlog log/aproc.tlog log/mh.tlog log/mhappl.tlog log/qcom.tlog log/pwrrt.tlog log/mqtt_server.tlog log/xttscript.tlog log/ccm.tlog
7	Com test	log/qmon.tlog log/qmonc.tlog
8	Development test	log/pwrtest02_classvolume.tlog log/pwrtest02_rootvolume.tlog log/ldh.tlog log/pwrwb.tlog
9	Sev mariadb test	log/sev_mariadb.tlog
10	Sev sqlite and hdf5 test	log/sev_sqlite.tlog log/sev_hdf5.tlog
11	Remtote and IO test	log/remote.tlog log/io.tlog

The log files can be displayed by a browser, test_xtt_gtk, with the option -f to specify the log files. Any error log is indicated with red.

```
> test_xtt -f log/\*.tlog
```



Build with an import root

From V4.7.0.

When building a common release on different platforms, the version of the loadfiles should be the same on all the platforms. This can be achieved by defining an import root. The idea is to build the dbs-files on one platform, and define import roots on the other, and the copy the dbs-files from the import root, instead of building them.

When creating the environment with 'pwre add' the import root is stated. In the exemple below it resides on a remote node, pwrdeb.

```
> pwre show
--
-- Environment      : x470_64
-- Module.....: rt
-- Source root....: /data0/x4-7-0/pwr/src
-- Import root....: pwr@pwrdeb:/data0/x4-7-0/rls/os_linux/hw_x86
-- Build root.....: /data0/x4-7-0_rt/rls
```

```
-- Build type.....: dbg
-- OS.....: linux
-- Hardware.....: x86
-- Description.....: X4.7.0 on 64 bit debian
```

Create the build tree directories

```
> pwre create_all_modules
```

Import the dbs files from the import root

```
> pwre import dbs
```

Build all the modules

```
> pwre build_all_modules
```

Build for embedded platforms

When building for embedded systems with a cross compiler, it's not possible to build a complete release with the development environment. Instead some files generated from the development environment is imported from a complete release. In pwre the path to this import release is stated, and with the 'pwre import' command files are imported.

A cross compiler has to be defined with the environment variables `pwre_cc`, `pwre_cxx` and `pwre_ar` that should point at the c, c++ compiler and the archive program ar.

For the build, some programs has to be executed and `pwre_host_exe` should point to the exe directory of an release of the development platform, usually the same release as the import root.

We begin with defining the pwre links to the compiler tools . In the example we are building for Raspberry Pi.

```
export pwre_cc=arm-linux-gnueabi-hf-gcc
export pwre_cxx=arm-linux-gnueabi-hf-g++
export pwre_ar=arm-linux-gnueabi-hf-ar
```

Define a link to the exe directory of the host release

```
export pwre_host_exe=/data1/x5-0-0/rls/os_linux/hw_x86/exp/exe
```

Create an pwre environment for the rpi release with hardware arm

```
pwre add x500rpi
Source root? /data0/x5-0-0/pwr/src
Import root? /data0/x5-0-0/rls/os_linux/hw_x86
Build root? /data0/x5-0-0/rls
Build type?
OS? linux
Hardware? arm
```

Build the arm release

```
pwre init x500rpi
mkdir $pwre_broot
pwre configure --ebuild
pwre create_all_modules
pwre import rt
```

```
pwre import java
pwre ebuild rt
```

In the above example the embedded release root is common with the host release and probably already defined in the project list. If another root is used it should be given a version name in the project list, \$pwra_db/pwr_projectlist.dat, eg

```
%base X5.0.0rpi      /data0/x5-0-0/rls
```

As default this will build the runtime part of all modules. It is possible to disable the build of not needed modules by editing the ebuild.dat file on \$pwre_bin.

```
bcomp      1
java       1
remote     1
nmps      1
sev        1
opc        1
profibus   1
otherio    1
ssabox     1
tlog       1
othermanu  1
abb        1
siemens    1
klocknermoeller 1
inor       1
telemecanique 1
```

If 1 is exchanged to 0 for a module, this module will not be built. Note there can be a dependency between modules. The siemens and abb modules are, for example, dependent on the profibus module.

Configure an embedded project

Normally there is also a need to build a project on the runtime only release. The project has to point at the complete release, because that's where the development environment is present, but the build command for the node and plcprogram has to be directed to the runtime only release. To do this you set the operating system for the node, and for the root volume to CustomBuild, and create a CustomBuild object below the NodeConfig object for the node in the directory volume. In the CustomBuild object the cross compiler tools are stated.




Fig CustomBuild object defining the embedded environment

Build operator environment only

From V4.7.0

Building an release with only the operator environment is made in a similar way. As this includes the runtime environment, runtime is build first as described in the previous section. Then the operator is build with

```
> pwre import op
> pwre ebuild op
```

Appendix A

Component overview

Module rt

<i>Component</i>		<i>Description</i>
lib	co	Contains common functions for runtime and development environment, e.g. time functions, command line interpreter, handling of different languages, xml parser.
	rt	This is the basic runtime library with functions for the runtime environment, e.g. the realtime database, handling of alarms and events, plc, io handling, subscriptions etc.
	dt	Contains the system pictures in rt_rtt.
	msg_dummy	?
msg	co	Msg-files for lib/co.
	rt	Msg-files for lib/rt och exe/rt_*
	flow	Msg-files for xtt/lib/flow.
	glow	Msg-files for xtt/lib/glow.
	ge	Msg-files for xtt/lib/ge.
	rs	Msg-files for the modules remote, nmpps, ssabox och tlog.
	wb	Msg-files for wb/lib/wb.
wbl	pwrs	Classvolume pwrs, system classes.
	pwrb	Classvolume pwrb, base classes.
	rt	Shared volume rt. Contains sound objects.
	wb	WorkBenchVolume. Contains list descriptors.
mmi	co	Common picture files.
exp	com	Shell scripts and command files.
	inc	Include-files for basic types, classes and definitions.
	rt	Various files.
	stdsoap2	Files for gsoap, used by the status server.
exe	co_convert	Program to generate h-files and convert between different formats. Generates h and hpp files for class volumes from wb_load files, converts from xtt-help files to pdf, postscript and html etc.
	co_merge	Used by pwre when handling modules.

	pwr_user	Command interface to the user database.
	rt_bck	Backup of objects in the realtime database.
	rt_bck_dump	Create a dump from the backup file.
	rt_elog	The event log server. Stores event and alarms in a database.
	rt_emon	Event monitor. Handles alarms and events.
	rt_fast	Handles fast curves.
	rt_ini	The startup program for the runtime environment. Creates the realtime database and starts the system processes, plcprogram and applications. Also handles the consol logging.
	rt_io_comm	Process for I/O handling of units that are not handled by the plc program.
	rt_linksup	Supervision of links to other ProviewR nodes.
	rt_mozilla	Program that starts a web browser.
	rt_neth	Nethandler. Provides other nodes with information about the realtime database.
	rt_neth_acp	Handles links with other ProviewR nodes.
	rt_prio	Sets priority on system and application processes.
	rt_qmon	Qcom monitor. Handles communication with other nodes.
	rt_rtt	Tool to examine the system and the realtime database from a terminal window.
	rt_sevhistmon	Collects history data and sends to storage stations.
	rt_statusrv	Provides information about system status for the Supervision Central.
	rt_sysmon	System monitor. Supervises the system.
	rt_tmon	Timer monitor. Sends subscriptions to operator stations.
	rt_trend	Handles trend curves.
	wb_rtt	An editor for rt_rtt pictures.
doc	man	Contains manuals and help texts.
	web	Web-files for the documentation home page.
	orm	Files for the Object Reference Manual.
	prm	Programmer's Reference Manual.
	dox	Doxygen definitions.
tools	pwre	Build script to build ProviewR from sources.
	bld	Makefiles to build ProviewR.
	pkg	Files to build installation packages.
	exe	Various programs to create msg-files etc.

Module Xtt

<i>Component</i>	<i>Description</i>
------------------	--------------------

lib	cow	Common graphical functions and window for messages, runtime monitor, status monitor and helptext viewer.
	flow	Flowchart editor (flow) used by the plc editor and plc trace. Also a browser used for example in the navigator.
	glow	Graphical package for process graphics and the Ge editor.
	ge	The Ge editor, process graphics.
	xtt	Functions in the operator environment, navigator, alarm windows, trends, fast curves and history curves, operator window etc.
exe	rt_xtt	The ProviewR operator environment.
	wb_ge	Separate program for the ge editor.
	pwr_rtmon	Runtime monitor. Program to start/stop ProviewR runtime.
	rt_statusmon	Supervision central. Program to supervise ProviewR nodes.
	co_help	Separate program to view help texts.
mmi	ge	Picture files for the Ge editor.
	xtt	Picture files for xtt.
	sis	Subgraphs for SIS.
exp	ssg	Subgraphs for SSG.
	ge	Object graphs and type graphs.
	inc	Include files for bitmaps used as icons in navigator and palettes.

Module Wb

<i>Component</i>		<i>Description</i>
lib	wb	The main library for the development environment. Contains the development database, the configurator, the plc editor, the spreadsheet editor etc.
exe	wb	The main development tool of ProviewR.
	wb_cmd	Command line and script interface to the development database.
	wb_ldlist	Program to examine the version of a dbs-file.
	wb_upgrade	Program sometime used by the project upgrade procedure.
mmi	wb	Picture files for the development environment.
exp	wb	Various files.
	com	Command files and shell scripts.

Module Remote

<i>Component</i>		<i>Description</i>
lib	remote	Common functions for remote.
exe	rs_remotehandler	Main program for the remote function.
	rs_remote_3964r	Communication to a remote system using Siemens 3964r on a serial line.

	rs_remote_alcm	Communication to a remote system using the ALCM protocol.
	rs_remote_modbus	Communication to a remote system using Modbus on a serial line.
	rs_remote_mq	Communication through a message queue using BEA MessageQ.
	rs_remote_rk512	Communication to a remote system using rk512.
	rs_remote_serial	Communication to a remote system using a serial line.
	rs_remote_tcpip	Communication to a remote system using the TCP/ip protocol.
	rs_remote_udp	Communication to a remote system using the UDP/ip protocol.
	rs_remote_logg	Program to log communication on file.
	remote_pvd_pwrcli	Provider program to mount a ProviewR system as an extern volume.
	remote_pvd_pwrsrv	Server program for remote_pvd_pwrcli.
wbl	remote	The Remote classvolume.

Module Nmmps

<i>Component</i>		<i>Description</i>
lib	nmmps	Contains code for function objects and application interface for Nmmps.
exe	rs_nmmps_bck	Backup of cells and data objects.
	rs_nmmps_bck_dump	Program to examine a backup file.
wbl	nmmps	The NMmps classvolume.

Module Profibus

<i>Component</i>		<i>Description</i>
lib	rt	Contains I/O methods for profibus and profinet.
	cow	Contains the profibus configurator and the profinet configurator.
	xtt	Xtt-method to open the profibus configurator in rt_xtt.
	wb	Wb-methods to open the profibus configurator and profinet configurator.
exe	profinet_viewer	Program to show connected devices on the profinet circuit, and to set name and adress on the devices.
	pn_get_deviceid	Program to extract ProductFamily and TextInfo from gsdml files and generate a database for the profinet configurator.
wbl	mcomp	The Profibus classvolume.
mmi	mcomp	Object graphs.
exp	gsd	Contains gsd-filer, e.i. descriptions files for profibus slaves.
	rt	Contains help texts.

Module Opc

<i>Component</i>		<i>Description</i>
lib	opc	Common functions and the gsoap interface.

exe	opc_provider	Opc client, implemented as an external volume.
	opc_server	Opc server.
wbl	mcomp	The Opc classvolume.
exp	mcomp	Object graphs and type graphs.

Module Java

<i>Component</i>		<i>Description</i>
jpwr	rt	Java runtime interface.
	rt_client	Archive to execute java remote and get info from the realtime database via socket communication.
	jop	Operator interface in java.
	jopc	Object graphs in java.
	beans	Components to build java graphics in for example JBuilder or other IDE
	bcomp	Object graphs for Basecomponent objects.
	abb	Object graphs for ABB objects.
exe	jpwr_rt_gdh	Java native for gdh, qcom, errh and mh classes.

Module Otherio

<i>Component</i>		<i>Description</i>
lib	rt	I/O methods for various I/O units.
	usbio_dummy	Archive to be able to link the plc without installing MotionControl USBIO.
wbl	mcomp	The OtherIO classvolume.
mmi	mcomp	Object graphs.
exp	rt	Include-files for external archives.

Module Bcomp

<i>Component</i>		<i>Description</i>
lib	rt	Code for plc function objects.
	wb	Wb methods for various classes.
wbl	bcomp	The classvolume BaseComponent.
mmi	bcomp	Object graphs and graphical symbols.
doc	orm	Pictures to Object Reference Manual.

Module Othermanu

<i>Component</i>		<i>Description</i>
wbl	mcomp	The classvolume OtherManufacturer.
mmi	mcomp	Object graphs and graphical symbols.

doc	dsh	Datasheet for various components.
-----	-----	-----------------------------------

Modules ABB, Siemens, Inor etc

These modules for various manufacturers are designed in a similar way.

<i>Component</i>		<i>Description</i>
wbl	mcomp	The classvolume for the module.
lib	rt	Possible I/O methods.
	wb	Possible wb methods.
mmi	mcomp	Object graphs and graphical symbols.
doc	dsh	Datasheets for various components.
	orm	Pictures to Object Reference Manual.